

Appl. No. : 09/617,318	Confirmation No. : 9061
Applicants : David N. Roundhill, Michalaklis Averkiou, Jeffry E. Powers	
Filed : July 17, 2000	Attorney Docket No.: 500789.01
Art Unit : 3777	Customer No. : 27,076
Examiner : Mark Donald Remaly	
Title : SYSTEM AND METHOD FOR THREE-DIMENSIONAL HARMONIC ULTRASOUND IMAGING	

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

APPLICANT'S STATEMENT OF INTERVIEW SUBSTANCE UNDER 37 CFR § 1.133(b)

Applicants wish to thank Examiner Remaly for the telephone interview on January 26, 2012. Further to 37 CFR § 1.133(b), Applicants are providing the following statement regarding the substance of the interview. Please acknowledge receipt of this statement and kindly make the statement of record in the above-identified application.

### CLAIMS DISCUSSED DURING INTERVIEW

Claims 103-107 were discussed during the interview.


## SUMMARY OF INTERVIEW

Preparation of a response to the office action of October 28, 2010 that would address the Examiner's rejection was discussed. Examiner Remaly provided comments and suggested remarks, which were considered in preparing the response filed January 30, 2012.

Applicants again wish to thank the Examiner for the interview, and requests that this record be reviewed, approved, and made of record in the subject application. Should the Examiner consider this statement incomplete or inaccurate, Applicants request that the Examiner point out any inaccuracies or areas lacking completeness in accordance with MPEP § 713.04.

Respectfully submitted,

DORSEY & WHITNEY LLP

  
Kimton N. Eng  
Registration No. 43,605  
Telephone No. (206) 903-8718

Date February 27, 2012

KNE:dms

DORSEY & WHITNEY LLP  
701 Fifth Avenue, Suite 6100  
Seattle, WA 98104-7043  
Telephone: (206) 903-8800  
Facsimile: (206) 299-9288

EXAMINER	DATE ACCEPTED
* EXAMINER: Initial if summary has been accepted and made of record in the application in accordance with MPEP § 713.04. Include copy of this form with next communication to applicant(s).	

h:\ip\clients\philips medical-atl ultrasound\500789.01\500789.01 interview summary response.doc